# BURRELL TOWNSHIP, INDIANA COUNTY, PA - PERMIT APPLICATION

PO Box 483, Black Lick, PA 15716 Phone: 724-248-3308

Permit No  LOCATION OF PROPOSED WORK OR IMPROV	/FMFNT		
Municipality: Burrell Township			
Tax Parcel #			
Site Address:			
Lot#Subdivision/Land Development:_	Pha	ase:Section:	
Owner:	Phone#	Fax#	
Mailing Address:		_ Email:	
Principal			
Contractor:	Phone#	Fax#	
Mailing Address:			
Architect:	Phone#	Fax#	
Mailing Address:		Email:	
TYPE OF WORK OR IMPROVEMENT (Circle all New Building Addition Alteration		location	
Change of Use Plumbing Electrication			
Describe the Proposed work:			
ESTIMATED COST OF CONSTRUCTION (Reason	nable fair market value)		
DESCRIPTION OF BUILDING USE (Check one	hen complete applicable in	fo)	
<u>RESIDENTIAL</u>	NON-RESIDE	NTIAL (Commercial)	
Single Family Dwelling	Specific Use	Specific Use	
Duplex		Use Group:Construction Type:	
Townhouse	Change of Use (indic	cate former and proposed):	
Total Sq. ft. of finished living space			
		Load:	
	Maxim1um Live Loa	d:	

(Page 1)

Sprinkler system to be installed: (Check	one) YesI	No
BUILDING DIMENSIONS		
Existing Building Area:	sq. ft.	Number of Stories:
Proposed Building Area:	sq. ft.	Height Above Grade:ft.
Total Building Area:	sq. ft.	Area of Largest Floor:sq. ft.
FLOODPLAIN INFORMATION		
Is the site located within an ident	tified flood plan	area? (Check one) YesNo
Note: All proposed development Flood Insurance Program and the		dance with the requirements of the National lood Plain Management Act.
HISTORIC DISTRICT INFORMATION		
Is the site located within a Histor	ical District? (Ch	eck one) YesNo
Note: If yes, you must provide pr	oper Historical D	District certification per the UCC Law.
accordance with the "approved" construand any additional approved building coowner and applicant assumes the responsible of ways, flood areas, etc. Issuance construed as authority to violate, cancel Municipality or any other governing bod applicable codes, ordinances and regula.  Application for a permit shall be made by authorized agent of either, or by the authorized work.	uction document de requirements nsibility of locati of a permit and or set aside any y. The applicant tions. by the owner or uthorized registe	lessee of the building or structure, or
•		any reasonable hour to enforce the provisions
Signature of Owner or Authorized Agent	Prin	nt Name of Owner or Authorized Agent
Address:		Date:
Directions to Worksite:		
OFFICE USE ONLY below		
Permit Fee: \$		Submittal Checklist Attached: yesno Review Approval Date:

# **Burrell Township, Indiana County, PA Setbacks**

New Home - 25 feet from the the property line and the township road (right of way)

Detached Garage/Sheds - 10 feet from the property line and 25 feet from the township road

Attached Garage to House - 25 feet from the property line and the township road

Decks - 5 feet from the property line and 25 feet from the township road

Fences - 5 feet from the property line and 25 feet from the township road

MUNICIPAL PRIOR APPROVAL CHECKLIST			
Name of Municipality			
Name of Applicant			
Parcel#	Lot#_		
This Section below to be comple	ted by the Authorized M	lunicip	al Representative
CHECKLIST ITEMS			·
Is the project site located in a Flo	od Area? (Check one)	yes	no
(Circle one)	Residential Project	or	Commercial Project
Description of Work:			
Zoning or Land Use Permit	Approved		Not applicable
Stormwater Management	Approved		Not applicable
Street cut/ Driveway	Approved		Not applicable
Sewage/Onlot Permit	Approved		Not applicable
Water Permit	Approved		Not applicable
PennDot Highway Occupancy	Approved		Not applicable
Floodplain Permit	Approved		Not applicable
Other	Approved		Not applicable
I certify that all required Municipal Codes, Ordinances and Regulations have been met and approval thereby is granted to issue the requested Permit.			
Authorized Municipal Representative signature:			
Date:			

\*\*NOTE THAT THIS PERMIT APPLICATION PACKAGE MUST BE COMPLETED AND THEN SUBMITTED WITH THE PROJECT CONSTRUCTION PLANS AND THE CORRESPONDING SUBMITTAL CHECKLIST\*\*

## PENNSAFE BUILDING INSPECTION SERVICES LLC

## RESIDENTIAL MANUFACTURED AND INDUSTRIALIZED HOMES SUBMITTAL HANDOUT

Every item below must be checked as completed (if applicable), or marked n/a (if not applicable), for your project. This form must be completed in its entirety then returned with attached drawings.

CHECK ONE:	INDUSTRIALIZED (Modular) $\Box$	MANUFACTURED DOUBLE OR SINGLE WIDE
CHECK ONE:	NEW HOME □	USED HOME □
☐ Munic☐ Two (2☐ Manu	t Application ipal Prior Approval Form 2) full sets of plans facturers Installation Manual to be l factured Home Installer Certification	ocated at project site n must be provided before receiving Occupancy Permit.
**	The following items are required to	be included on the building plan drawings**
	Deck and porch plans- must have in full basement – indicate type of	ndation Specification em tallation method ment, materials and layout ent, materials and layout form to the UCC adopted version of the NEC. minimum 3' X 3' landing and be self-supporting. provided means of egress. structural work (such as a garage) to be performed in

If the Manufacturer's Installation Instruction Manual is not available, then the A225.1-1994 Existing Manufactured Home Standard must be followed.

(Continued)

## INSTALLATION REQUIREMENTS AND METHODS

FOOTE	R OPTIONS: (Check one)
	<b>Concrete Pier Footings Round</b> – Provide 36" deep minimum frost protection when skirting is installed – 48" without skirting. For piers spaced no more than 8' apart, holes should be 28" diameter, unless soil bearing capacity is greater than 1,500 lbs. per square foot.
	<b>Concrete Pier Footings, Runners</b> – Provide 36" deep minimum frost protection when skirting is installed – 48" without skirting. For piers spaced no more than 8' apart, footings must be 24' wide, unless soil bearing capacity is greater than 1,500 lbs. per square foot.
FOUNI	DATION OPTIONS: (Check one)
	Main Support Piers – Generally within 2' from each end, and spaced 8' apart. A single stack concrete block pier capacity is 8,000 lbs., up to 36". Piers higher than 36' require double blocks, interlocked. No mortar required for piers less than 80" high. Cap blocks must be full size (16x16 pier requires 16x16 cap block).
	<b>Full Foundation</b> – Plan and specifications required. Cross section submittals are available for your drawings. Verify that all imposed structural loads are properly supported.
ANCH	ORING METHODS (Check one)
	<b>Auger and Strap Type</b> : Installed within 2' of the end of the home, then generally 11' spaced apart. Install below frost line. Closely follow manufacturer's installation instructions.
	<b>Alternative systems</b> - Vector systems, OTI system. Any stamped engineered or alternative system approved by the manufacturer. Must be approved by Manufacturer and their DAPIA.

#### INSPECTION SCHEDULE – Always provide a minimum of 24 hours notice.

- 1. Foundation (before placing footings)
- 2. Concrete slab or under floor (prior to pouring concrete floor)
- 3. Anchorage (after home is set in place, installed and anchored)
- 4. Service Equipment Electrical, Plumbing, Mechanical work performed in field.
- 5. Frame (call before covering any work performed in field)
- 6. Means of egress (Decks & Porches)
- 7. Final (prior to occupancy)

# PENNSAFE BUILDING INSPECTION SERVICES LLC

## RESIDENTIAL DECK AND PORCH ROOF PROJECT SUBMITTAL HANDOUT

Every item below should be checked as completed (if applicable), or marked n/a (if not applicable), for your project. This form must be completed in its entirety then returned with attached drawings.

□ Application
☐ Municipal Prior Approval Form
☐ Site Plan showing setbacks
☐ Two sets of plans (All dimensions must be indicated, be in ink and drawn to scale)
**The following items are required to be included on the Building Plan Drawings:**
☐ Floorplan drawing looking down at deck/porch.
☐ Provide locations of all posts and beam locations and indicate spans.
☐ Top, front and side views of deck.
□ Complete cross section (provided)
☐ Size, thickness and depth (below grade) of footings.
☐ Size, type and spacing of support columns.
<ul> <li>Type of wood to be used. (Specify species and grade)</li> </ul>
<ul> <li>Size of floor joist, span and distance between joists.</li> </ul>
☐ Size, type and span of all girder beams.
<ul> <li>Height of wood joist, girder and floor above finish grade.</li> </ul>
<ul> <li>Type and thickness of floor sheathing. (Decking)</li> </ul>
<ul> <li>Stair riser height and depth/width of tread.</li> </ul>
☐ Handrail height and ballister spacing.
☐ Guardrail height and ballister spacing.
☐ Ledger fastening method, i.e bolt spacing.
☐ Deck flashing method
☐ Roof construction details (see cross section)

\*\*THIS COMPLETED FORM MUST BE SUBMITTED WITH PROJECT PLANS\*\*

# PENNSAFE BUILDING INSPECTION SERVICES LLC

### **Deck and Roof Cross Section Submittal**

Roof Size: Width: \_\_\_\_\_Length: \_\_\_\_ Roof Type: Gable: \_\_\_\_\_ Hip: \_\_\_\_ Shed: \_\_\_\_ (check one) Trusses: \_\_\_\_\_ Rafters: \_\_\_\_\_ Spacing of Trusses or Rafters: Rafter Size and Span: Ridge Beam: Size: \_\_\_\_\_ Span: \_\_\_\_ Roof Sheathing:\_\_\_\_\_ Roof Covering: \_\_\_\_ Roof Header Beam: Size: \_\_\_\_\_ Span: \_\_\_\_\_ Deck Size: Width: \_\_\_\_\_ Length: \_\_\_\_ Footer Size: Width: \_\_\_\_\_ Length: \_\_\_\_\_ Carrier Beam: Size: \_\_\_\_\_\_ Span: \_\_\_\_\_ 34" TO 38" SPHERE Type of Floor Joist: Floor Joist: Size: Span: Decking Material: Number of Steps: Riser Height: \_\_\_\_\_ Tread Depth:

